



Solar



230V



Public Lighting




### THE BENEFITS :

- Visual impact to protect pedestrians
- High-intensity LEDs with excellent visibility
- Made in our workshop

### Technical specifications

<b>DIMENSIONS &amp; WEIGHT</b>	<ul style="list-style-type: none"> <li>• 500mm, 700mm, 1000mm or 1250mm triangle road sign</li> </ul>
<b>MATERIALS</b>	<ul style="list-style-type: none"> <li>• Triangular aluminum housing</li> <li>• Class 1 or Class 2 retroreflective film</li> </ul>
<b>POWER</b>	<ul style="list-style-type: none"> <li>• Solar, Public lighting, 230V or 12V battery with external charger</li> </ul>
<b>LIGHT SOURCE</b>	<ul style="list-style-type: none"> <li>• High-intensity LEDs integrated on the front of the road sign</li> <li>• Red LEDS for the trim</li> <li>• Orange LEDS for the symbol</li> </ul>
<b>MODES</b>	<ul style="list-style-type: none"> <li>• Steady or Flash</li> <li>• Integrated flashing light with automatic nighttime dimming</li> </ul>
<b>FIXATION</b>	<ul style="list-style-type: none"> <li>• 2 rails at the back</li> </ul>
<b>OPTIONS</b>	<ul style="list-style-type: none"> <li>• Any symbol on request</li> <li>• Sign with text of your choice</li> <li>• Weekly programming clock</li> <li>• Vehicle or speed detector for flashing only when a vehicle approaches</li> </ul>


### SOLAR VERSION



### Technical specifications

<b>SOLAR KIT INCLUDES</b>	<ul style="list-style-type: none"> <li>• 12V 18Ah battery</li> <li>• 700 mm version : 2 x 16Wp solar panels</li> <li>• 1000 mm version : 2 x 20Wp solar panels</li> <li>• Solar regulator</li> <li>• Safety fuse for the battery</li> </ul>
<b>FUNCTIONING</b>	<ul style="list-style-type: none"> <li>• The road sign is powered by the battery located at the back</li> <li>• During the day, the battery is charged by solar energy thanks to the regulator</li> </ul>
<b>FIXATION</b>	<ul style="list-style-type: none"> <li>• 2 rails at the back</li> </ul>

### POWER BOX FOR STREET LIGHTING



#### Technical specifications

<b>DIMENSIONS &amp; WEIGHT</b>	<ul style="list-style-type: none"> <li>400 x 300 x 210 mm</li> </ul>
<b>MATERIALS</b>	<ul style="list-style-type: none"> <li>Polycarbonat box</li> </ul>
<b>THE BOX INCLUDES</b>	<ul style="list-style-type: none"> <li>12V Battery</li> <li>Charger</li> <li>Safety use of the battery</li> <li>Terminal block with safety fuse protection</li> </ul>
<b>FUNCTIONING</b>	<ul style="list-style-type: none"> <li>As soon as the streetlight is switched on, the battery is charged by the charger</li> <li>During the day, the road sign is powered by the battery</li> </ul> <p>→ For optimal performance, make sure that the street lighting operates for a sufficient number of hours, especially in midsummer, so that the battery can recharge</p>
<b>FIXATION</b>	<ul style="list-style-type: none"> <li>2 rails at the back or 4 threaded rods and 2 brackets</li> </ul>
<b>PROTECTION RATING</b>	<ul style="list-style-type: none"> <li>IP66 – IK10</li> </ul>

Key included

